

## 620/J/DIM/T/CL/BI MINIPISTRELLO CORDLESS


design gae aulenti, 1965



Thanks to LED technology, the Minipistrello is now available in a portable, dimmable, cordless version with rechargeable battery and touch sensor. Minipistrello is ready to go anywhere you want, for a romantic dinner, a date on the terrace, as an ideal companion for limitless living. Cordless system, rechargeable (battery charger and battery included) by Micro-USB / Type-C, charge duration: 6 hours. Also rechargeable with power-compatible banks. Diffused-light lamp. Telescope in stainless steel. White opal methacrylate diffuser. Base and knob in aluminum lacquered in the new agave green /VE color; also available in the series-production colors dark brown /MA and white /BI. LED light source integrated.

### 620/J/DIM/T/CL/BI minipistrello cordless

|              |                                |                     |   |
|--------------|--------------------------------|---------------------|---|
| family:      | cat_categories_name_3676, 3490 | Body Color:         | <input type="radio"/> other available colors <input checked="" type="radio"/> |
| Designers:   | Gae Aulenti                    | Diffuser Color:     | <input type="radio"/>   |
| Utilization: | indoor                         | Body Materials:     | stainless steel   |
| Typology:    | table lamps                    | Diffuser Materials: | opal white methacrylate   |



Market: This item is available in the following countries:  
EUROPE

#### Dimensions


|           |       |                |        |
|-----------|-------|----------------|--------|
| Width:    | -     | Hole Diameter: | -      |
| Height:   | 35 cm | Hole Depth:    | -      |
| Length:   | -     | Net weight:    | 2,5 Kg |
| Depth:    | -     |                |        |
| Diameter: | 27 cm |                |        |

#### Light Source

|                |        |
|----------------|--------|
| Watt:          | 4.5W   |
| Lumen:         | 350 lm |
| Light Source:  | led    |
| CRI:           | >80    |
| duration:      | 50000  |
| CCT:           | 2700K  |
| Energy degree: | A++    |

#### Device Specifications

|                   |          |                     |        |                        |   |
|-------------------|----------|---------------------|--------|------------------------|---|
| Type of emission: | diffused | Power cable length: | 190 cm | Driver:                | included  |
| Power:            | -        | Steel cable length: | -      | Power supply assembly: | external  |
| Light output:     | -        | Glow Wire Test:     | -      | Power supply:          | electronic dimmable power supply and rechargeable battery |
| Beam angle:       | -        | Impact Resistance:  | -      | Type of dimming:       | -   |
|                   |          |                     |        | Voltage:               | 230V  |



Dimensions

Width: -

Height: 35 cm

Length: -

Depth: -

Diameter: 27 cm

Hole Diameter: -

Hole Depth: -

Net weight: 2,5 Kg



**MINIPISTRELLO CORDLESS 620/J/DIM/T/CL/BI**

design gae aulenti, 1965



